

**APPROVED** per EPA 7-9-18  
By Mary Oliver-Bell at 2:36 pm, Mar 13, 2020

**TO SANITIZE NON-FOOD CONTACT HARD NON-POROUS SURFACES** Add 2 oz. of this product per gallon of water, to sanitize hard/nonporous surfaces. Treated surfaces must remain wet for 60 seconds. Wipe dry with a clean cloth or sponge or allow to air dry. Do not use in food preparation, food handling and food storage areas. This product is not to be used on glassware, dishware, cookware or utensils.

**FUNGICIDAL DIRECTIONS:**

For use in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities follow disinfection directions.

For use in hospitals and nursing homes as a disinfectant. Also use in prisons, food storage areas, kitchens, hotels and motels.

Use **RAZOR CITRUS BREEZE III** on washable hard, nonporous surfaces of floors, conductive flooring, walls, tables, chairs, toilets, countertops, stove tops, exterior of appliances and refrigerators, cabinets, garbage cans, outdoor furniture, except cushions and wood frames, desks, telephones and door knobs.

**RAZOR CITRUS BREEZE III** is a multi-purpose, neutral pH, germicidal detergent and deodorant effective in hard water up to 200 ppm [calculated as CaCO<sub>3</sub>] in the presence of a moderate amount of soil, 5% organic serum, tested according to the AOAC Use-dilution Test. Disinfects, cleans and deodorizes in one labor-saving step.

Effective against the following pathogens: Pseudomonas aeruginosa<sup>1</sup>, Staphylococcus aureus<sup>1</sup>, Salmonella enterica, Acinetobacter baumannii, Chlamydia psittaci, Enterobacter aerogenes, Enterobacter cloacae, Enterococcus faecalis - Vancomycin Resistant [VRE], Escherichia coli<sup>1</sup>, Klebsiella pneumoniae<sup>1</sup>, Proteus vulgaris, Salmonella typhi, Salmonella typhi, Serratia marcescens, Shigella flexneri, Shigella sonnei, Staphylococcus aureus - Methicillin resistant – [MRSA], Staphylococcus aureus - Vancomycin Intermediate Resistant – [VISA], Staphylococcus epidermidis<sup>2</sup>, Streptococcus pyogenes [Strep], \*Adenovirus Type 7-at 8 oz per gallon, \*Hepatitis B Virus [HBV], \*Herpes Simplex Virus Type 1, \*Herpes Simplex Virus Type 2, \*HIV-1 [AIDS virus], \*Rotavirus [WA], \*Rubella virus, \*SARS Associated Coronavirus [SARS] [cause of Severe Acute Respiratory Syndrome], Aspergillus niger, Candida albicans, Trichophyton mentagrophytes [Athlete's Foot Fungus] [a cause of Ringworm] [a cause of Ringworm of the foot]]

<sup>1</sup> ATCC & antibiotic-resistant strain

<sup>2</sup> antibiotic-resistant strain only

**RAZOR CITRUS BREEZE III** is a sanitizer for hard nonporous non-food contact surfaces ] according to the method for Sanitizers - Non-Food Contact Surfaces, modified in the presence of 400 ppm hard water plus 5% organic serum in 60 seconds against: Enterobacter aerogenes and Staphylococcus aureus.

**ENVIRONMENTAL HAZARDS**

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal. Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose.

**Pesticide Storage:**

Open dumping is prohibited. Store in original container in areas inaccessible to children.

**Pesticide Disposal:**

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**Container Disposal:**

Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before refilling is the responsibility of the refiller. Cleaning the container before final disposal is the responsibility of the person disposing of the container.

**(Plastic and Metal Containers):** To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container 10 percent full with water. Agitate vigorously, and dispose of rinsate consistent with pesticide disposal instructions. Repeat this rinsing procedure two more times. Then offer for recycling or reconditioning. If not available, puncture and dispose in sanitary landfill. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state, and federal regulations.

(For metal containers only: DO NOT cut or weld metal containers.)

**RAZOR CITRUS BREEZE III**

Disinfectant – Pseudomonacidal – Staphylocidal – Salmonellacidal –  
Bactericidal – Fungicidal – Mildewstatic – \*Virucidal – Sanitizer

**Active Ingredients:**

Didecyl dimethyl ammonium chloride 2.54%  
n-Alkyl (C14 50%, C12 40%, C16 10%) dimethyl benzyl ammonium chloride 1.69%  
Inert Ingredients: 95.77%  
Total: 100.00%

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**DANGER.** Corrosive. Causes irreversible eye damage. Do not get in eyes or on clothing. Wear protective eyewear (goggles, face shield, or safety glasses). Harmful if inhaled. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

**FIRST AID**

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

**KEEP OUT OF REACH OF CHILDREN  
DANGER**

EPA Reg. No. 47371-131-70332 EPA Est. No. 70332-AR-001

**Net Contents** \_\_\_\_\_

**RAZOR CHEMICAL, INC.**

1305 North Hills Blvd., Suite 119 • North Little Rock, Ar 72114

501-771-2800 • 1-800-959-4048

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product is not for use on medical device surfaces.

**DISINFECTION /CLEANING/DEODORIZING DIRECTIONS:**

Remove heavy soil deposits from surface, then thoroughly wet surface with a use-solution of 2 ounces of the concentrate per gallon of water. Use 8 oz per gallon of water to kill Adenovirus Type 7. The use-solution can be applied with a cloth, mop, sponge, or coarse spray or by soaking. For sprayer applications, use a coarse spray device. Spray 6-8 inches from the surface, rub with a brush, cloth or sponge. Do not breathe spray. Let solution remain on surface for a minimum of 10 minutes. Rinse or allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished.

This product is not for use on food contact surfaces.

Prepare a fresh solution daily or more often if use solution becomes diluted or soiled.

**MILDEWSTATIC INSTRUCTIONS:** Will effectively control the growth of mold and mildew, plus the odors caused by them when applied to hard, nonporous surfaces such as walls, floors and table tops. Apply use-solution of 2 ounces per gallon of water with a cloth, mop, sponge or coarse spray. Make sure to wet all surfaces completely. Let air dry. Repeat application weekly or when growth reappears.

**\*KILLS HIV-1 [AIDS VIRUS] AND HBV [HEPATITIS B VIRUS] AND HCV [HEPATITIS C VIRUS] ON PRECLEANED, HARD NON-POROUS ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood / body fluids, and in which the surfaces / objects likely to be soiled with blood / body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type I [HIV-1] [associated with AIDS] or Hepatitis B Virus [HBV] or Hepatitis C Virus [HCV].

**Special Instructions for Disinfection Cleaning and Decontamination against HIV-1 [AIDS Virus] or HBV or HCV of Surfaces / Objects Soiled with Blood / Body Fluids:**

**Personal Protection:** Disposable protective gloves, gowns, face masks and eye coverings, must be worn during all cleaning of blood / body fluids and during decontamination procedures.

**Cleaning Procedures:** Blood / body fluids must be thoroughly cleaned from surfaces / objects before application of disinfectant.

**Contact Time:** Mix 2 ounces of Razor Citrus Breeze III per gallon of water. HIV-1 [AIDS virus] is inactivated after a contact time of 4 minutes at 25°C [77°F] [room temperature]. HBV and HCV are inactivated after a 10 minute contact time. Use appropriate contact time listed on label for all other viruses[,] [and] bacteria [and fungi] claimed.

**Disposal of Infectious Materials:** Blood / body fluids must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

**TOILET BOWLS / URINALS:** Swab bowl with brush to remove heavy soil prior to cleaning or disinfecting. Clean by applying use-solution around the bowl and up under the rim. Stubborn stains may require brushing. To disinfect, first preclean to remove heavy soil, then remove or expel over the inner trap the residual bowl water. Pour in three ounces of the diluted solution. Swab the bowl completely using a scrub brush or mop, making sure to get under rim. Let stand for 10 minutes or overnight, then flush.

4.5”